

DSA.AOC.CHKL.079

OPERA	TOR:		EDITION D				
CHECKED BY: CKECK DATE:			SIGNATUR	E:			
	gulatory reference : Arrêté N°00606 tilisation des avions par une entrep	•		annexe de	l'arrêté n°00731/MII	NT du 07 juin2005 fixant les	conditions
No.	Points to check		State of implement	ation	Observations		
1.	Bound in a secure form (not loose)?		☐ Satisfactory ☐ Not satisfactory ☐ Not applicable				
2.	Binder is 3 or 4 ring?		Satisfactory Not satisfactory Not applicable				
3.	Exterior of binder clearly indicates ma	anual content?	Satisfactory Not satisfactory Not applicable				
4.	Prepared in English or French languag	ge?	Satisfactory Not satisfactory Not applicable				
Chkl date: 06/04/2015 Edition: 2.1 Page 1 of 7 Prepared by: Groupe OPS Validate by Director of Property Rauke Page 1 of 7 Prepared by: Groupe OPS Validate by Director of Property Rauke Page 1 of 7 Prepared by: Groupe OPS							



CCAA DSA.AOC.CHKL.079

	MANUAL CONTROL PROCESS		
5.	Copies numbered for controlled issuance?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
6.	Name or title of each person who holds a copy?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
7.	Amendment issuance tracking process?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
8.	Statement that the manual contains instructions which are	☐ Satisfactory	
	required to be complied with by all personnel?	☐ Not satisfactory	
		☐ Not applicable	
9.	Statement of Compliance with relevant regulations?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
	MANUAL REVISION PROCESS		
10.	Revision Instructions adequate?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
11.	Revision page for proper revision entry?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
12.	List of effective pages provided and correct?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
13.	Last revision to individual pages identified?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	

Chkl date :06/04/2015 Edition: 2.1 Page **2** of **7** Prepared by : Groupe OPS Validated by Director of Horistian Sofety House Power Assoumou Koki



DSA.AOC.CHKL.079

	MANUAL REFERENCING SYSTEM		
14.	Table of contents easy to find and use?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
15.	Index, if included, easy to find and use?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
16.	Tabbed as necessary for usability without difficulty?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
	INDIVIDUAL PAGE PRESENTATION		
17.	Page numbered in chronological sequence (by chapter or	☐ Satisfactory	
	single document?	☐ Not satisfactory	
		☐ Not applicable	
18.	Last revision number/date appears on each page?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
19.	Company name (and logo) appears on each page?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
	PARAGRAPH NUMBERING		
20.	Paragraphs and sub-paragraphs numbered or alphabetized	☐ Satisfactory	
	for ease of reference?	☐ Not satisfactory	
		☐ Not applicable	
	SUPPLEMENTARY CONTENT REFERENCING		
21	Tables referenced for ease of use?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	

Chkl date :06/04/2015 Edition : 2.1 Page **3** of **7** Prepared by : Groupe OPS

Validated by Director of Horistian Sofety House Power Assoumou Koki



DSA.AOC.CHKL.079

22.	Figures referenced for ease of use?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
23.	Appendices referenced for ease of use?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
	MANUAL CONTENTS CONFORMANCE		
	Organization and Management		
24.	Organizational Chart?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
25.	Quality Manager?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
	Quality Management		
26.	Quality Policy?	☐ Satisfactory	
		☐ Not satisfactory	
		☐ Not applicable	
27.	Clearly defined lines of quality accountability throughout	☐ Satisfactory	
	the organization?	☐ Not satisfactory	
		☐ Not applicable	
28.	Direct accountability for quality on the part of senior	☐ Satisfactory	
	management?	☐ Not satisfactory	
		☐ Not applicable	
29.	Compliance monitoring includes a feedback system to the	☐ Satisfactory	
	account manager to ensure corrective action as necessary?	☐ Not satisfactory	
	,	☐ Not applicable	
30.	Quality system includes a quality assurance program?	☐ Satisfactory	
		☐ Not satisfactory	

Chkl date :06/04/2015 Edition : 2.1 Page **4** of **7** Prepared by : Groupe OPS

Validated by Director of Horistian Sofety House Power Assoumou Koki




DSA.AOC.CHKL.079

		☐ Not applicable	
31.	Quality assurance program contains procedures designed to verify that all operations are being conducted in accordance with all applicable requirements, standards and procedures?	☐ Satisfactory ☐ Not satisfactory ☐ Not applicable	
32.	System for monitoring the continuing compliance with the requirements of the regulations?	Satisfactory Not satisfactory Not applicable	
33.	For maintenance purposes, quality system includes monitoring that the activities of the Safety Management System are being performed in accordance with the accepted procedures?	☐ Satisfactory ☐ Not satisfactory ☐ Not applicable	
34.	Procedures for ensuring that contracted maintenance is carried out in accordance with the contract?	Satisfactory Not satisfactory Not applicable	
	COMPLIANCE WITH REQUIREMENTS		
35.	Complies with Cameroonian CAR	Satisfactory Not satisfactory Not applicable	

Chkl date :06/04/2015 Edition : 2.1 Page **5** of **7** Prepared by : Groupe OPS

Validated by.
Director of Assistion Sofety
Paule Assoumou Koki





DSA.AOC.CHKL.079

RECOMMEND ACCEPTANCE:	Yes	NO (Reasons cited below)	
REMARKS & OBSERVATIONS			

Chkl date :06/04/2015 Edition : 2.1 Page **6** of **7** Prepared by : Groupe OPS

Validated by Director of Assistion Sofety Maule Power ASSOUMOU KOKI



DSA.AOC.CHKL.079

Additional comments attached □ =>

Chkl date :06/04/2015 Edition : 2.1 Page **7** of **7** Prepared by : Groupe OPS

Validated by Director of Assistion Sofety Maule Power ASSOUMOU KOKI